

## Anti-DDX 18 antibody, rabbit serum

70-453 100 µl

**Storage:** Shipped at 4°C or -20°C and stored at -20°C.

**Immunogen:** Purified Human DDX18 fused with GST

**Form:** Undiluted anti rabbit serum added with 0.05 % sodium azide

**Reactivity:** Reacts with DDX18 of human and rodents.

### Applications

1) Western blotting (1000~ 2,000 fold dilution) 2) Immunofluorescence staining (~500 fold dilution)

Not tested for other applications

**Background:** DDX18 protein (670aa, 75.4KDa) is a putative ATP-dependent RNA helicase since it possesses a DEAD box motif, characterized by the conserved motif, Asp-Glu-Ala-Asp (DEAD). RNA helicases which may play a role in ribosome biogenesis. DDX18 acts as a cofactor for XPO1-mediated nuclear export of incompletely spliced HIV-1 Rev RNAs. It was also involved in HIV-1 replication and interacts specifically with hepatitis C virus core protein resulting in a change in intracellular location.

**Data Link** UniProtKB/Swiss-Prot [Q9NVP1](#) (DDX18\_HUMAN)

**Reference :** This product is described and used in reference 1.

1. Sekiguchi T *et al* "NOP132 is required for proper nucleolus

localization of DEAD-box RNA helicase DDX47." *Nucleic. Acid. Res.*

34 : 4593-4606 (2006) PMID: [16963496](#)

